

# Tiger Paw™ Roof Deck Protection Sell Sheet

Updated: 1/11



*Quality You Can Trust... From  
North America's Largest Roofing Manufacturer!™*

[www.gaf.com](http://www.gaf.com)

# TIGERPAW™

Roof Deck Protection

NEW!

Learn about  
Roof Deck  
Protection

*Help Protect Your Home  
From Damaging Moisture  
With Superior*

# Roof Deck Protection

## Superior Quality Roof Deck Protection Can Protect And Beautify At The Same Time!

Superior quality roof deck protection should protect your home by providing a critical extra layer of protection between your shingles and your roof deck. It helps prevent wind-driven rain (or water from other sources) from infiltrating under your shingles and causing damage to your roof structure, or to the inside of your home. In addition, a superior quality roof deck protection will:

- Help reduce damaging moisture that can become trapped on your roof deck.
- Provide longer-lasting leak protection than conventional “felts” (which can rot or become brittle before your shingles reach their useful life).
- Help your shingles lay flat and uniform, for a better-looking finished roof.



# TIGERPAW™

Roof Deck Protection



## Homeowner's Best Choice

- **Special Moisture Control Design...** Helps remove nearly *twice* as much damaging moisture from your roof deck as the leading synthetic non-breathable underlayment.<sup>1</sup>
- **Durable Construction...** Non-asphaltic, polypropylene construction, will not rot or become brittle (conventional felts can disintegrate over time).
- **Better Looking Roof...** Tiger Paw™ Roof Deck Protection resists wrinkling and buckling that can “telegraph” through your roof shingles and detract from its finished appearance.
- **Peace of Mind...** Backed by a 20-year ltd. warranty against manufacturing defects.<sup>2</sup>

## Professional's Best Choice

- **Safer for Installers...** Specially designed surface helps provide excellent walkability for installers versus conventional felts or typical synthetic underlayments.
- **Deck-Side Coating...** Anti-skid back coating helps improve walkability, while also helping to keep the roll stationary during installation.
- **Stronger...** Synthetic, non-woven construction provides at least 600% (i.e. 7 times) greater tear strength than standard #30 felt.<sup>3</sup>
- **Less Chance of Blow-Off...** Up to 147% higher nail pull-through strength than #30 felt helps keep the product in place.<sup>4</sup>
- **Convenient Size...** 10 square, 48” wide roll installs up to 33% faster than conventional felts.
- **Lightweight...** At 40 lbs, it's approximately 33% lighter than a roll of #30 felt.
- **Cooler to Work With...** Light-grey surface is cooler in hot weather than conventional black felts.
- **Flexible Application...** Recommended for use with asphaltic shingle roof systems. May also be used with non-asphaltic systems, such as slate, metal or tile.<sup>5</sup>
- **Versatile...** Can withstand UV degradation for 180 days, if necessary.

## Product Specifications (Nom.)

Roll length . . . . . 250 ft  
 Roll width. . . . . 48 in  
 Roll weight. . . . . 40 lbs. per roll  
 Approx. coverage . . . . . 10 squares per roll  
 UV Stabilized Polypropylene Construction  
 Meets or exceeds the physical requirements of ASTM D226 and D4869  
 Meets UL Class A fire rating when used with UL Class A rated roof coverings

**Note:** Always use plastic cap nails or staples with plastic caps to install Tiger Paw™ Roof Deck Protection.



## Smart Choice® WEATHER STOPPER® SYSTEM

[www.gaf.com](http://www.gaf.com)

DISTINCTIVE RIDGE CAP SHINGLES

ADVANCED PROTECTION SHINGLES

ACCESSORY PAINT

LEAK BARRIER



EFFECTIVE ATTIC VENTILATION

ROOF DECK PROTECTION

PRE-CUT STARTER STRIP SHINGLES

RELIABLE LOW-SLOPE SYSTEMS



The GAF Smart Choice® Weather Stopper® Roofing System has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy.)

**Quality You Can Trust... From North America's Largest Roofing Manufacturer!™**